

### OTDR Selection Guide



FlexScan® FS300



FlexScan® FS200



M710

Model	Point-to-Point Networks/Fiber Type					FTTx PON		OTDR Performance							Integrated Peripherals				
	MMF/SMF		SMF			Dark	Live	Wavelengths (nm)	Dynamic Range (dB)	Dead zone EDZ/ADZ (m)	SmartAuto	LinkMap®	FlexXpress	MPO Switch Control	OLS	OPM	VFL	TRM 2.0/3.0	Inspection
	Data Center	LAN	Core	Metro	Access														
<b>FlexScan FS300</b>																			
<a href="#">FS300-325</a>	◆	◆	◆	◆	◆	◆	850/1300/1310/1550	29/29/37/36	0.8/3.5	◆	◆	◆	◆	◆	◆	◆	◆	◆	FOCIS
<b>FlexScan FS200</b>																			
<a href="#">FS200-50B</a>				◆	◆		1550	28	1.0/6.0	◆	◆		◆				◆	◆	FOCIS
<a href="#">FS200-60</a>				◆	◆	◆	1650	37	0.8/3.6	◆	◆		◆				◆	◆	FOCIS
<a href="#">FS200-100</a>				◆	◆	◆	1310/1550	32/30	0.8/3.6	◆	◆		◆	◆	◆	◆	◆	◆	FOCIS
<a href="#">FS200-300</a>			◆	◆	◆	◆	1310/1550	37/36	0.8/3.5	◆	◆	◆	◆	◆	◆	◆	◆	◆	FOCIS
<a href="#">FS200-304</a>			◆	◆	◆	◆	1310/1550/1650	37/36/37	0.8/3.5	◆	◆	◆	◆	◆	◆	◆	◆	◆	FOCIS
<b>M710 OTDR</b>																			
<a href="#">M710-20</a>			◆	◆	◆		1310/1550	41/39	0.8/4.0		◆				◆	◆	◆	◆	DFS1
<a href="#">M710-21</a>			◆	◆	◆		1310/1550/1625	41/39/39	0.8/4.0		◆				◆	◆	◆	◆	DFS1
<a href="#">M710-40</a>			◆	◆	◆		1310/1550	44/42	0.8/4.0		◆				◆	◆	◆	◆	DFS1
<a href="#">M710-24</a>	◆	◆	◆	◆	◆		850/1300/1310/1550	25/24/40/38	0.8/4.0		◆				◆	◆	◆	◆	DFS1